

ቁጥር

TO: All Participants of Tender no. ICB/PSA6/FP& RETENDERS ITEMS/SDG&RDF/MS/ LS/LR/31/19

Dear Sirs,

Ref: - Tender Result

Assessment of the above captioned tender is now finalized and please find the attached award list.

Any question related to the assessment could be forwarded to Pharmaceutical Supply Agency (PSA) Director General Office from March 31, 2020, to April 6, 2020; 8:30AM -12 :30 PM and 1:30 PM- 5:30 PM.

With Best Regards

Management Directorate Director Supplies Tender

ENC: 5 page



CC

- Director General
- ➤ Deputy Director General /Procurement/
- > Chemical & Medical Supplies Procurement Team **PSA**

					Company Name:	me:				Document No: OF/TM/ HO-	F/TM/ HO-
						የኢትዮጵያ	የኢ <i>ትዮጵያመድካኒት</i> አቅራቢኤጀንሲ	ለርጀላυ?		-16	
	B <				Ethiop	an Phari	Ethiopian Pharmaceuticals Supply Agency	s Supply	Agency		
					Title:					Effective date : 2	27/02/2020
	tricement requirements and primary and primary	14				Offic	ficial Winner list	er list			Page 1 of 1
			Tender no	Tender no,: ICB/PSA6/FP & RETEND	/FP & RE	TENDE	RS ITEMS	S/SDG &	RDF/MS/	ERS ITEMS /SDG & RDF/MS/LS/LR/31/19	
Ser	Description	III	Owantity	Winner	er				Payamant		
N		Cilit	Quantity	Supplier	Country	Currency	Incoterm	Unit Price	Term	Delivery Time	Remark
	Condom(Female)	piece	381,600	Mission Pharma	Malaysia	USD		0 6650		60-90 days after LC	
.	Syringe (Disposable) - 5ml with Needle	1		Henso Medical			FOB	The second second	LC	opening	
	23G	100	159,054	(Hangzhou) Co.,Ltd.	China	USD	FOR	1.8900	T)	Within 90 days after	
ယ	Ways - 30-50ml Balloon 22CH	Each	50,000	Kay and	India	USD		0.4790		Within 90 days after	
4	Catheter Condom Latex Medium - 28mm	Each	111,966	Kay and	India	USD	100	0 1550	TC	Within 90 days after	
	Colostomy Bag Adhesive Regulator			Company			FOB		LC	LC opening	
51	Closed -25cmx14cm 30mm Opening Adult Opec Medium	Each	30,000	Cancelled							
	Colostomy Bag Adhesive Regulator	uu.	7								
6	Closed -25cmx14cm 30mm Opening pediatric	Each	30,000	Cancelled							22
7	Deciman Chart H. L. 1979						-				
,	Diamage Chest Tube -10FG	Each	15,000	Cancelled							
~	Drainage Chest Tube -18FG	Each	8,615	Kay and Company	India	USD	FOB	0.3990	J.C	Within 90 days after	
9	Drainage Chest Tube -28FG	Each	15,000	Kay and Company	India	USD	FOR	0.3990		Within 90 days after	
10	Tip - 15cmx2.2mm	100	305,438	Kay and	India	USD	0.5990	0.5990		Within 90 days after	
				Company			POBA DEMAN	Eb	LC	LC opening	





Addns sieson

A READ LANK.

	¢ *												,
	23	22	21	20	19	18	17	16	15	14	13	12	=
	Bilirubin, Urobilinogen, Ketone, Protein, Nitrite, Glucose, PH, Specific Gravity, Leucocytes)	Vacutainer blood collector tube vacuum red top 10 ml plastic	Vacutainer serum separator (ss) tube yellow top 5ml plastic	Vacutainer blood collector tube with EDTA anti coagulant purple top 4ml plastic	Umblical Cord Tie - 6mmx24.5m	curvature armoured with low Pressure Cuff Universal inflation funnel and pilot balloon Plastic	curvature armoured with low Pressure Cuff Universal inflation funnel and pilot balloon Plastic	Tracheostomy Tube 3.0 mm with 90 curvature armoured with low Pressure Cuff Universal inflation funnel and pilot balloon Plastic	Tourniquet of Double Belt - 2.5*45cm	Syringe Dental of metal 1.8ml	Goggle Eye plastic	Gauze Paraffin Sterile with Case - 10cm x 10cm	Autoclave Indicator Tape - 1.9cm x5m
	100	100	100	100	Each	Each	Each	Each	Each	100	Each	10	Each
	194,424	6,828	22,211	14,770	146,951	4,306	4,404	4,111	20,000	1,000	34,059	51,462	33,215
	194,424 Koroglu Medical Ltd	Henso Medical (Hangzhou) co.ltd	I	Henso Medical (Hangzhou) co.ltd	Kay and Company	He (I	Henso Medical (Hangzhou) co.ltd	He				Henso Medical (Hangzhou) co.ltd	
1	Turkey	China	China	China	India	China	China	China				China	China
D'	SDevious Francisco	USD	USD	USD	USD	USD	USD	USD				USD	USD
FOD A	* EDB	FOB	FOB	FOB	FOB	FOB	FOB	FOB			100	FOR	FOB
	1.9300	4.8800	4.7500	3.2900	0.7790	1.6300	1.6300	1.6300				0.7200	3.0500
LC		LC	LC	LC	LC	LC	LC	LC			170	0	LC
LC opening	Within 90 days after	Within 90 days after LC opening	12 weeks from the date of confirmed order	Within 90 days after LC opening	Within 90 days after LC opening	Within 90 days after LC opening	Within 90 days after	Within 90 days after			LC opening	Within 90 days after	Within 90 days after
	-	1				4)	,						





Woodle Supon

x36200 849

	38	37	36	33	34	33	32	3 3	30	29	28	27	26	25	24
	Agglutination (TPHA) Test	Agglutination Test Trenonema Pallidum Haemo-	Alfa Feto Protein (AFP), Cassette	Antı Nucleic Antibody (ANA)	Cover slides(squares) size 22x22mm thickness 0.13	Digital X - Ray Film 30x40cm	Digital X - Kay Film 24X30cm	X-Ray Film Fixer to Make 10 liters	to Make 10 liters	Demai x-ray ilim 3x4cm	Barium Sulphate oral Suspension, powder, 175 gm	Anti-Streptomycin O Antibody (ASO) Latex agglutination test	Anti-Human Globulin-AGT (Coombs') IgG and IgM Test(material provided with the kit insert leaflet,positive control, negative control,slide with six reaction circles, sample dispensing pipettes, mixing sticks, Rubber teat)	Dibutylphthalate Polystyrene Xylene (DPX)	Applicator stick wooden 15cm long thickness 2.5mm without cotton
	100 tests	50tests	40tests	20tests	100	100 films/pack	100 films/pack	10X10	10X10	films/box	175 gm/ sachets	100 tests	3x10ml	250ml	100
B	646	2,904	440	1,386	386,728	3,803	2,666	2,288	2,153	6,342	14,414	22,539	6,866	6,342	148,830
	Cancelled	Cancelled	Hangzhou Alltest Biotech Co., Ltd	Cancelled	Henso Medical (Hangzhou) Co.,Ltd.	Cancelled	Cancelled	Primax Berlin GmbH	Primax Berlin GmbH	Cancelled	Mission Pharma A/S	Cancelled	Cancelled	Cancelled	Cancelled
TOURDY AIDDR	S SIEGUS	No.	China		China			Germany	Germany		India				
* WALL WALL AND THE	T. C. C.	And have	USD		GSN			Euro	Euro		USD				
2474,	()		FOB		FOB			FOB	FOB		FOB				
			17.2800		0.2000			44.4300	47.35		3.5000				
			C		LC			C	LC	4	C				
			3 months after LC opening	ď	Within 90 days after			5-8 weeks after receipt of the LC	5-8 weeks after receipt of the LC		60-90 days after LC opening				



	48	4,	40	4:	44	4.	4;	41	40		39	
Posted by: Mesfin Wertawo	Absorbent pad with plastic Backing (blue diapers), 17x24 inches	47 Lint free cloth	46 Shoe Covers, Non-Skid, of 100	45 Ethanol, Absolute	Aerosol Barrier Tips, 1000 μl, Sterile, of 1000	43 Disposable coat, white	42 Disposable coat, blue	Bleach (10 times dilution of 5% - 0.5% NAHOCI) - in 500ml spray bottle	40 Plasma preparation tube (PPT)	Vioform Powder BP		
wo Kimous	250	50	1.00	1000 ml	1000	30	30	500 ml	1000		500gm	
	17	131	44	423	203	146	146	847	203		110	
	Cancelled	Cancelled	Kay and Company	Cancelled	Kay and Company	Cancelled	Cancelled	Cancelled	Henso Medical (Hangzhou) Co.,Ltd.		Cancelled	
" Hamace Mo			India		India				China			
*			USD		USD				USD			
Checked	e		FOB		FOB		1		FOB		-	
Checked by: Hilina Tesfaye			2.9900	¥ .	25.2200				121.9000			
aye 1			LC		LC		-		LC			
R		-	Within 90 days after LC opening		Within 90 days after LC opening	15		o	Within 90 days after			-
			-								,	

አባከም በዚህ ሰነድ ከመጠቀምዎ በፊት ትከክለኛ መሆኑን ያረጋግጡ Make sure that this is the correct issue before use

OF for Official winner list OF/TM/HO-16, 0, 13/09/2019



Company Name:		
የኢ <i>ት</i> ዮጵያ <i>መ</i> ድሃኒትአቅራቢኤጀንሲ	Document No: OF	/TM/ HO-17
Ethiopian Pharmaceuticals Supply Agency	1	=
Title:	Effective date: 27	7/02/2020
Reasons for Rejection	Rev. No.: 0	Page 1 of 1

Tender no,:ICB/PSA6/FP & RETENDERS ITEMS /SDG & RDF/MS/LS/LR/31/19

Name of rejected Bidders	Item no's rejected	Reasons for rejection	Remark
Acon Biotech (Hangzhou) Co.,Ltd	23	Not Submitted the delivery schedule	
Beeveejay Limited	30 and 31	Price Incompetency	
Boston Medical FZE	29,32,33	all items are the products cancelled from this tender	
Changzhou Medical Applances General Factory	2	Price Incompetency	7 4
Citotest Labware Manufacturing Co.,Ltd	10,15,24 & 34	for item no 10 and 34 the submitted EFDA registration is out of date, for item no 15 and 24 the products are cancelled from this tender	
EN-Projects	1	Price Incompetency	
Guangzhou Improve Medical Instruments Co.,Ltd	20,21,22 and 40	for all items the submitted EFDA registration is out of date	
Henso Medical (Hangzhou) Co.,Ltd.	15 and 21	for item 15 the product are cancelled and for item 21 do to price incompetency	
Hangzhou Alltest Biotech Co., Ltd	23	Price Incompetency	
Human GmbH	23,27,35 and 38	for item no 23 long delivery schedule and 27,35 and 38 items are the products cancelled from this tender	
Hunan Liuyang Medical Instrument Factory	20,21 and 40	the submitted bid bond is below the validity date (90 days after the bid opening date)	
Jiangsu webest medical product Co., Ltd	2	Price Incompetency	
Kay and Company	2,5,6,7,11,12,15,16,17,18,20,21, 22,23,24,25,26,29,30,34,31,40,4 1,42,43,47 and 48	For item no 29 not submitted manufacturer autherization letter, for item no 2,5,6,7,11,20,21,22,23,30,31 and 40 not submitted valid EFDA egistration certificate, for item no 18 and 34 price incompetency and for item no 15,24,25,26,41,42,43,47,48 items are the products cancelled from this tender	
Nanjing Yakeou Import and Export	2 and 23	for item no 2 not submitted valid EFDA egistration certificate and for item 23 do to price incompetency	
Shadong Qiaopai Group Co.,Ltd	2	the submitted bid bond is below the validity date (90 days after the bid opening date)	
Shadong Weigo Group Medical Polymer Co.,Ltd	2,20,21 and 22	for all item not submitted valid EFDA egistration certificate	
SNS Global Pharma Corporation	2	not submitted bid bond	
Spinreact	23,26,27 and 38	for item no 23 short shelf life and for other items are the products cancelled from this tender	
Weifang Kanghua Biotech.,Ltd	23	Price Incompetency	ii.
Zhejiang Kangshi Medical Devices Co., Ltd	20 and 22	Price Incompetency	
Zhejiang Orient Gene Biotech Co.Ltd	23	Price Incompetency	

Posted by: Mesfin Wertawo _

Checked by: Hilina Tesfaye

ከዎ በዚህ ስነድ ከመጠቀምዎ በፊት ትክክለኛ መሆኑን ያረ ጋግጡ ake sure that this is the correct issue before use

OF for Reasons for Rejection, OF/TM/HO-17, 0, 13/09/2019

* Ethiodisc